

Codice:	PREPAZ06	
Titolo del documento:	RACCOLTA DI FECI per esame parassitologico e ricerca antigene di Giardia	
Area:	Laboratorio	Rev. 1 del 26/04/2021

CONTENITORE

Utilizzare esclusivamente un contenitore di plastica sterile senza additivo, reperibile presso il Punto Prelievi oppure acquistabile in farmacia o al supermercato.

RACCOMANDAZIONI IMPORTANTI

Alcuni giorni prima e durante il periodo della raccolta delle feci si consiglia di:

- a) non fare uso di lassativi, antidiarroici, antimicrobici o altre sostanze interferenti come bario, bismuto, oli minerali;
- b) seguire un regime dietetico senza: legumi e frutta secca, frutti e verdure a cuticola resistente (pesche, albicocche, pomodori, pere, fragole, fichi, ecc.), carote e banane;
- c) non eseguire radiografie del tratto digerente con mezzi di contrasto nei giorni precedenti la raccolta.

MODALITA' DI RACCOLTA

- Raccogliere le feci su una superficie asciutta e pulita, tipo una padella da letto, oppure un foglio di cartone o un giornale ripiegato o un sacchetto di plastica posti sotto il sedile del water;
- Evitare di contaminare le feci con le urine;
- Il campione deve essere prelevato in punti diversi dell'intera evacuazione privilegiando, se presenti, le aree con sangue e/o muco;
- Trasferire nel contenitore di plastica, utilizzando il cucchiaino unito al tappo oppure una spatola o una posata di plastica, una quantità di feci pari almeno al volume di una grossa noce; in caso di feci liquide riempire circa metà contenitore (non riempire mai il contenitore completamente);
- Chiudere molto bene il contenitore, eventualmente pulire ed asciugare la parte esterna e scrivere sull'etichetta: cognome, nome, data della raccolta e ordine del campione (1°, 2° o 3°).

CONSERVAZIONE E TRASPORTO

Consegnare il campione al Punto Prelievi entro 2-4 ore dalla raccolta oppure conservarlo in frigorifero a 2-8°C per non più di 24 ore. Si raccomanda di seguire le modalità suddette una volta al giorno per tre giorni alterni. Consegnare i tre campioni al Punto prelievi.

Per la Ricerca di Antigene di Giardia è sufficiente un solo campione, salvo diversa prescrizione del medico.

Codice:	PREPAZ06	
Titolo del documento:	FECES COLLECTION for parasitological examination and Giardia antigen research	
Area:	Laboratorio	Rev. 1 del 26/04/2021

CONTAINER

Only use a sterile plastic container without additives, available at the sampling point or purchasable in pharmacies or supermarkets.

IMPORTANT RECOMMENDATIONS

A few days before and during the stool collection period it is recommended to:

- not to use laxatives, antidiarrheals, antimicrobials or other interfering substances such as barium, bismuth, mineral oils;
- follow a diet without: legumes and dried fruit, fruits and vegetables with a resistant cuticle (peaches, apricots, tomatoes, pears, strawberries, figs, etc.), carrots and bananas;
- do not perform x-rays of the digestive tract with contrast media in the days preceding the collection.

METHOD OF COLLECTION

- Collect feces on a clean, dry surface, such as a bedpan, or a sheet of cardboard or folded newspaper or plastic bag placed under the toilet seat;
- Avoid contaminating feces with urine;
- The sample must be taken at different points of the entire evacuation, favoring, if present, the areas with blood and/or mucus;
- Transfer into the plastic container, using the spoon attached to the cap or a spatula or plastic cutlery, a quantity of faeces equal at least to the volume of a large walnut; in case of liquid faeces, fill about half the container (never fill the container completely);
- Close the container very well, if necessary clean and dry the outside and write on the label: surname, name, collection date and sample order (1st, 2nd or 3rd).

STORAGE AND TRANSPORT

Deliver the sample to the sampling point within 2-4 hours of collection or store it in the refrigerator at 2-8°C for no more than 24 hours. It is recommended to follow the above procedures once a day for three alternate days. Deliver the three samples to the sampling point.

Only one sample is sufficient for the Research of Giardia Antigen, unless otherwise prescribed by the doctor.